

Italian survey on the effectiveness of halotherapy administered *via* the Aerosal® system

Matteo Gelardi,¹ Rossana Giancaspro,¹ Francesca Fortunato,² Michele Cassano¹

¹Unit of Otolaryngology, University of Foggia; ²Section of Hygiene, Department of Medical and Surgical Sciences, University of Foggia, Italy

Abstract

Over the years, halotherapy (HT) has shown promise in the treatment of respiratory and dermatological diseases. However, its widespread acceptance remains limited due to the absence of offi-

Correspondence: Rossana Giancaspro, Unit of Otolaryngology, University of Foggia, Via Luigi Pinto 1, 71122 Foggia, Italy. E-mail: rogianca@live.it

Key words: halotherapy, non-pharmacological approach, respiratory diseases.

Contributions: GM, conceptualization, supervision, writing – review and editing; GR, writing – original draft preparation; FF, formal analysis; CM, writing – review and editing.

Conflict of interest: the authors declare no conflicts of interest.

Ethics approval and consent to participate: the ethical approval was waived by the ethics committee of Foggia since it was a real investigation conducted in Italian “Salt Clinics”. This survey, conducted according to the Declaration of Helsinki, only provided for the collection of data, without in any way influencing the therapeutic choices of the participants.

Informed consent: all participants provided informed consent prior to completing the survey.

Patient consent for publication: not applicable.

Availability of data and materials: data available on request from the corresponding author.

Funding: none.

Received: 29 March 2024.

Accepted: 15 July 2024.

Early view: 29 August 2024.

Publisher’s note: all claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article or claim that may be made by its manufacturer is not guaranteed or endorsed by the publisher.

©Copyright: the Author(s), 2024

Licensee PAGEPress, Italy

Monaldi Archives for Chest Disease 2025; 95:3007

doi: 10.4081/monaldi.2024.3007

This article is distributed under the terms of the Creative Commons Attribution-NonCommercial International License (CC BY-NC 4.0) which permits any noncommercial use, distribution, and reproduction in any medium, provided the original author(s) and source are credited.

cial guidelines and awareness among doctors and patients. Among the patented systems of administration of HT, Aerosal® is the only one consisting of 3 certified elements, all classified as Medical Devices Class 2A: a dry saline dispenser called Aerosalmed®, a 30 g salt dose named AeroNaCL®, and a confined environment in marine multilayered construction with walls coated in salt called Aerosal®. We conducted an online survey of subjects undergoing Aerosal® HT across 80 Italian centers. Participants provided demographic data, reasons for choosing HT, and perceptions of its effectiveness. Following 10 treatment sessions, they rated improvements in various aspects, such as skin condition, sleep quality, relaxation, and respiratory benefits. Most participants learned about HT through word of mouth rather than medical advice, suggesting a discrepancy between patient satisfaction and medical endorsement. Over 92% reported resolution of their health issues post-treatment, with significant improvements in sleep quality and relaxation, particularly in adults. The therapy showed promise in various conditions, including respiratory and skin disorders, possibly attributed to stress reduction and intrinsic therapeutic effects. Despite skepticism, HT administered through the Aerosal® system has shown therapeutic potential. The psycho-physical benefits observed in patients advocate for greater consideration of this therapy by clinicians, emphasizing its safety, tolerability, and absence of notable side effects. In this context, standardized systems like Aerosal® are crucial for ensuring treatment safety and efficacy.

Introduction

Halotherapy (HT) is a form of speleotherapy, a non-pharmacological approach consisting of inhalation of micronized medical sodium chloride into an indoor climate-controlled environment that recreates the conditions occurring in nature in salt mines and caves [1]. Due to its recognized beneficial effects on several respiratory system conditions (rhinosinusitis, allergic rhinitis, otitis, bronchitis, and asthma), as well as on some dermatological pathologies (atopic dermatitis and psoriasis), HT is nowadays considered an adjuvant therapy in the prevention of respiratory disease and its exacerbations, reducing the need for frequent pharmacological interventions [2-4]. Nevertheless, there are no official guidelines on HT use in the form of salt rooms (halo chambers) or dry powder inhalers, and neither clinicians nor patients are yet fully aware of its potential benefits.

Among the patented systems of administration of HT, Aerosal® is the only one to be certified as a medical device in all its components, represented by the salt chamber (Aerosal®), the salt dose (AeroNaCL®), and the dry saline dispenser (Aerosalmed®). This system consists of the delivery of a standard amount of micronized particles of NaCl by a dry salt aerosol generator that blows into the halo chambers. The Aerosal® salt rooms have standardized dimen-

sions and are composed of walls and ceilings in marine plywood, completely covered with iodized rock salt of certified origin as ESCO (European Salt Company). The floors, also made of marine plywood, are covered with approximately 500 kg of rock salt of certified origin, such as RESIMAX. The temperature and humidity are kept at constant values ranging between 20°C and 24°C and 44% and 60%, respectively. Moreover, as certified by SAS 90® measurements, the room environments are not contaminated by pathogenic microorganisms.

A double-blind, placebo-controlled randomized clinical trial has already shown the effectiveness of Aerosal® HT in otitis media with effusion and in adenotonsillar hypertrophy [5]. However, although several studies and surveys have been conducted on HT beneficial effects, no studies have been conducted on the efficacy of patented Aerosal® HT in more complex conditions, including asthma, chronic pulmonary disease, and dermatological conditions [6,7].

Based on this background, we conducted an anonymous online survey involving subjects undergoing Aerosal® HT for different pathological conditions, with the aim of understanding the reasons that had driven patients to choose this treatment and their impression regarding its effectiveness.

Materials and Methods

An online survey was administered to patients undergoing Aerosal® HT, and their caregivers (if they also underwent Aerosal® HT) in 80 Italian Centers, in order to ensure a wide and complete national coverage.

The anonymous online survey concerned the demographic data of the subjects involved in the survey, their experience, and their perception of HT. Demographics included gender and age. Awareness/experience variables included “How did you find out about Aerosal® halotherapy?” and “Would you recommend this treatment to friends and family?”. The participants were also asked which pathologies they suffered from, why they had undergone HT, and the duration of the treatment.

After a complete cycle of 10 sessions, participants were asked to evaluate their global assessment of the effectiveness of HT, as well as the improvement of several aspects, such as the skin characteristics, the quality of sleep, the degree of relaxation, the sporting benefit, and the quality of breathing in smokers. Responses were scored from 0 (no effectiveness/no improvement) to 10 (maximum effectiveness/maximum improvement) (Figure 1).

The differences in the scores attributed to each item were evaluated using the Student's *t*-test.

The ethical approval was waived by the ethics committee of Foggia since it was a real investigation conducted in Italian “Salt Clinics”. This survey, conducted according to the Declaration of Helsinki, only provided for the collection of data, without in any way influencing the therapeutic choices of the participants. All participants provided informed consent prior to completing the survey.

Technical specification of salt room Aerosal®

The walls and ceiling of the salt room, measuring 2.30 m by 2.90 m by 2.20 m, are entirely coated with certified-origin iodized rock salt from ESCO. Additionally, the floor, constructed with multilayer sea wood, is covered with about 500 kg of certified-origin rock salt of RESIMAX type. The room maintains a clean environment verified by SAS 90® measurements, free from pathogenic microorganisms, allowing patients to relax in comfortable chairs. Dry salt aerosol, circulated through a PVC pipe, is blown into the room from a generator located outside but adjacent to it.

To ensure air quality, a centrifugal extractor fan facilitates air changes meeting CO₂ ppm values (<750 ppm), while temperature (20°C to 24°C) and humidity (44% to 60%) remain constant (measured by TESTO 435-49 Digital Multimeter, Aerosal Divisione Medica SA, Taverne, Switzerland). The dry salt aerosol generator, housed in a cabinet adjacent to the salt room, disperses a standard quantity of NaCl in aerosol form through a PVC connector. The micronized NaCl particles, ranging from 0.23 to 20 micrometers, are monitored for consistent density (20 to 35 Mg/m) over time through an electronic system, ensuring stability.

Figure 2 summarizes the technical features of the dry salt aerosol generator (Aerosalmed®).

The salt sachet used in the generator (AeroNaCl®) contains 30 grams of NaCl, 20 g of micronized RG salt (Reagent Grade), and 10 g of non-micronized ESCO iodized feed salt. This composition aims to prevent clumping and maintain appropriate iodine exposure levels. Figure 3 provides a 3D graphical representation of a “Salt Clinic”.

Results

Overall, 549 subjects participated in the survey. 61.9% (n=340) were caregivers, and the remaining 38.1% (n=290) had undergone

	VAS SCORE (0 = no effectiveness/no improvement; 10 = maximum effectiveness/maximum improvement)										
How much has your skin improved?	0	1	2	3	4	5	6	7	8	9	10
How much has the quality of your sleep improved?	0	1	2	3	4	5	6	7	8	9	10
How much would you rate the level of relaxation?	0	1	2	3	4	5	6	7	8	9	10
Have you noticed a sporting benefit?	0	1	2	3	4	5	6	7	8	9	10
How much has the quality of breathing improved?	0	1	2	3	4	5	6	7	8	9	10
How much would you recommend therapy?	0	1	2	3	4	5	6	7	8	9	10

Figure 1. Online questionnaire.

Aerosal® HT for the prevention or treatment of a specific disease. 52.5% (n=288) of patients were female, 47.5% were male (n=261). 61.9% (n=340) were aged between 0 and 17 years, 38.1% (n=209) were over 17 years old. 148/549 (26.9%) participants reported suffering from allergies, of which 50.6% (n=75) were seasonal allergies and 41.2% (n=61) were perennial. 86.3% (n=474) of the survey participants reported that it was the first time they had gone to a salt room: 74 for prevention, 45 for adenoid hypertrophy, 23 for asthma,

35 for bronchitis, 65 for allergies, 77 for sinusitis, 24 for skin diseases, 120 for recurrent respiratory infections, 154 for colds, 66 for ear infections and 38 for other pathologies (Figure 4). As shown from the latter data, some patients had undergone HT for multiple overlapping diseases. 45.7% (n=251) learned about HT from friends, 23.5% (n=129) via social media, 12.9% (n=71) from their doctor, 9.8% (n=54) from the internet in general, and the remaining 44% from other sources (Figure 5).

AEROSALMED®



Technical features	
Power supply	100-240 VA – 50/60 Hz
Absorbed power	Max. 90 VA
Risk class	IIA
IP protection degree of the enclosures	21
Operating temperature	20 ÷ 25 °C
Operating humidity	30 ÷ 50 % RH
Atmospheric pressure	70 ÷ 106 kPa

Figure 2. Aerosalmed® technical features. Reproduced with permission from: AEROSAL DIVISIONE MEDICA SA.



Figure 3. 3D representation of a Salt Clinic: reception area (a); waiting room with a recreation area (b), Aerosal® HT room (c); Aerosalmed® Dry Salt Aerosol Generator(d). Modified from: Gelardi *et al.* (2103) [5].

Over 92% (n=506) of them reported that the health problem that led them to undergo HT had resolved. 8.7% of all participants (n=48) reported an improvement in their skin; however, this percentage rose among those (75%; 18/24) who had skin problems, giving an average score of 7.8 ± 1.8 (range: 3-10).

67.6% (n=371) also reported an improvement in sleep (mean score: 8.0 ± 1.7 ; range: 4-10), which continued at the time of the interview for 49.5% (n=272), lasted a few weeks for 46 respon-

dents, a few days for 31 subjects, and a few months for 4% (n=22). 75.9% (n=417) felt more relaxed after the sessions (average score 8.1 ± 1.7 ; range: 3-10). Adults were more relaxed than minors ($p < 0.05$). 33.3% (n=183) of the participants in the survey declared that they did a sporting activity; of these, 59.6% (109/183) had sporting benefits after HT (average score 7.8 ± 1.6 ; range: 3-10) (Figure 6).

Almost all respondents (98%) would recommend the salt




Figure 4. Reasons why participants underwent halotherapy.




Figure 5. Means through which participants learned about halotherapy.

rooms to friends and family (average score 8.9 ± 1.4 ; range: 5-10). 74.3% (n=408) have already planned another cycle soon. 99.6% (n=547) were satisfied with the information received, giving an average score of 9.2 ± 1.2 (range: 4-10). 47.7% (n=262) were aware of the dedicated YouTube channel.

Statistically significant differences in the average score attributed to the different degrees of improvement were found by age, since adults who benefited from the treatment attributed a higher average score of degree of relaxation than minors ($p < 0.05$).

In line with expectations, those who went to the salt chambers to treat a pathology had ≥ 3 sessions/week compared to those who did not have any pathology. In particular, significant associations were detected for all the pathologies under study except for skin diseases and recurrent respiratory infections.

Discussion

The therapeutic role of the saline environment has been recognized since the 19th century, following some observations, such as the absence of chronic bronchitis and asthma in the miners of the Wieliczka salt mines, as well as the rapid healing of these diseases in new employees [8]. The terms halotherapy (derived from Greek *halos* = salt) and speleotherapy (derived from the Greek *speleos* = cave) refer properly to the use of salt caves for healing [9]. In recent years, the possibility of using not only natural halochambers, such as rock salt mines, but also recreating artificial ones has prompted research efforts to investigate the potential therapeutic effects of HT, as an adjuvant therapy for skin and respiratory disorders, capable of




Figure 6. Scores attributed by patients to the improvement of the skin, the quality of sleep, the degree of relaxation, the sporting benefit and the quality of breathing in smokers, as well as the degree of satisfaction with halotherapy. A) Comparison between male (M) and female (F) subjects; B) comparison between minors and adults.

reducing the side effects of systemic treatments and improving clinical response.

In this context, with the view of standardizing the treatment, studies have focused on the optimal microclimatic characteristics (temperature, humidity, lighting, pressure, and concentration in CO₂ and O₂) as well as the size of micronized particles of NaCl [10,11].

Aerosal® is the only HT administration system that is certified as a medical device in all its components, therefore capable of guaranteeing standardized and repeatable microclimatic conditions. Thus, we conducted an online survey to understand patients' level of knowledge of HT, as well as their impression regarding its effectiveness.

The results indicate that only a small percentage of patients (12.9%) opted for HT based on medical recommendations, with the majority learning about it through informal channels, particularly from friends. This highlights how even today, despite the growing data regarding the effectiveness of HT, doctors themselves are often skeptical, so much so that they do not suggest this non-pharmacological therapy as an adjunct to standard pharmacological treatments [2]. At the same time, the very fact that the subjects had undergone HT thanks to word of mouth demonstrates the high degree of satisfaction shown by the patients, who tend to recommend the treatment after having undergone it themselves. In line with these data, almost all participants of the survey (98%) would recommend HT to friends and family, and over 92% of them reported that the health problem that led them to undergo HT had resolved. Moreover, it is worth mentioning that adults, more than minors, attributed a high average score to the degree of relaxation. Therefore, the effects of HT should not only be considered in terms of reducing flare-ups of the pathologies from which patients suffer and/or reducing the pharmacological therapy, but also in terms of improving quality of life (QoL), which could be evaluated, as in this survey, precisely in relation to the quality of sleep or the feeling of relaxation. Indeed, it should be underlined that salt rooms become real places that help support a correct lifestyle, in a time when stress is inseparable from everyday life, so that people do not have free time to rest and carry out outdoor activities [12].

Interestingly, our previous study showed no improvements in sleep quality; however, the study population was exclusively pediatric [5]. Also in this survey, the improvement in sleep quality was found in the adult population, rather than in the pediatric population, highlighting how adults are more positively affected by the relaxing effects of HT than children [13].

Another important aspect is the heterogeneity of participants of the survey, as they suffered from several diseases, including adenoid hypertrophy, asthma, bronchitis, allergies, sinusitis, skin diseases, recurrent respiratory infections, and otitis. In accordance with the opinion expressed by patients, HT has proven useful in the treatment and prevention of each disease. The effectiveness of HT could be traced back to both stress reduction and the intrinsic effects of HT. As a matter of fact, several skin disorders, including psoriasis and atopic dermatitis, are closely related to stress since the skin has been shown to be not only a target of organismal distress but also an active participant in the stress response, through production of local hypothalamic-pituitary-adrenocortical axis components [14]. Thus, bidirectional communication pathways between the brain and the skin may lead to sustained proinflammatory activity that self-amplifies and leads to cutaneous inflammatory states. In this context, behavioral and cognitive stress management therapies, relaxation techniques, hypnosis, and biofeedback have been proposed in people suffering from skin disorders [15]. HT could therefore fit into

this context, so much so that previous studies have already shown its effectiveness in the treatment of psoriasis, highlighting the association with the improvement of the patient's QoL [4]. Similarly, recent studies have identified chronic psychosocial stress as an additional environmental exposure to consider in relation to asthma and other respiratory diseases [16]. The potential mechanisms underlying this association could be represented by changes in the methylation and expression of genes that regulate behavioral, autonomic, neuroendocrine, and immunologic responses to stress [17]. In addition to the stress effects mentioned above, the intrinsic effects of HT include antimicrobial activity and promotion of mucociliary clearance, rehydration, and mucus clearance. Moreover, recent studies have demonstrated that HT improves lung function by inhibiting the NLRP3/ASC/Caspase-1 signaling pathway to reduce inflammation and pyroptosis [18]. All these anti-inflammatory and anti-allergic properties determine considerable improvements in patients suffering from both respiratory and skin diseases [19,20].

Conclusions

Despite skepticism, HT is gaining more and more therapeutic dignity, given the increasing number of studies demonstrating its effectiveness as an adjuvant but not a replacement for traditional pharmacological therapies. The increased psycho-physical well-being of subjects undergoing HT should lead clinicians to give greater consideration to this therapy, which appears to be safe, well-tolerated, and free of noteworthy side effects. In this context, precisely to guarantee the safety of the treatment, the administration of HT using patented and standardized systems, possibly certified as medical devices such as Aerosal®, appears extremely important.

References

1. Barber D, Malyshev Y, Oluyadi F, et al. Halotherapy for chronic respiratory disorders: from the cave to the clinical. *Altern Ther Health Med* 2022;28:52-6.
2. Crisan-Dabija R, Sandu IG, Popa IV, et al. Halotherapy - an ancient natural ally in the management of asthma: a comprehensive review. *Healthcare (Basel)* 2021;9:1604.
3. Syzon OO, Rudnyk TI, Dashko MO. Combined differentiated therapy in patients with urticaria. *Wiad Lek* 2019;72:589-94.
4. El'kin VD, Vladimirovskii EV, Barannikov VG, et al. The hygienic characteristic and effectiveness of the application of natural sylvinitic screens for the combined treatment of the patients presenting with vulgar psoriasis. *Vopr Kurortol Fizioter Lech Fiz Kult* 2013;2:29-32. [Article in Russian].
5. Gelardi M, Iannuzzi L, Greco Miani A, et al. Double-blind placebo-controlled randomized clinical trial on the efficacy of Aerosal in the treatment of sub-obstructive adenotonsillar hypertrophy and related diseases. *Int J Pediatr Otorhinolaryngol* 2013;77:1818-24.
6. Lazarescu H, Simionca I, Hoteteu M, et al. Surveys on therapeutic effects of "halotherapy chamber with artificial salt-mine environment" on patients with certain chronic allergenic respiratory pathologies and infectious-inflammatory pathologies. *J Med Life* 2014;7:83-7.
7. Wasik AA, Tuuminen T. Salt therapy as a complementary method for the treatment of respiratory tract diseases, with a focus on mold-related illness. *Altern Ther Health Med* 2021;27: 223-39.
8. Antonovici Munteanu MO, Sandu IG, Vasilache V, et al.

- Implications in halotherapy of aerosols from the salt mine targu ocna—structural-functional characteristics. *Healthcare (Basel)* 2023;11:2104.
9. Bar-Yoseph R, Kugelman N, Livnat G, et al. Halotherapy as asthma treatment in children: A randomized, controlled, prospective pilot study. *Pediatr Pulmonol* 2017;52:580-7.
 10. Chervinskaya A. Halotherapy in controlled salt chamber microclimate for recovering medicine. 2009. Available from: <https://www.semanticscholar.org/paper/Halotherapy-in-Controlled-Salt-Chamber-Microclimate-Chervinskaya/7c26bfb23cabf7a9536c9a8aab79b31e3b6bf9eb>.
 11. Rashleigh R, Smith SMS, Roberts NJ. A review of halotherapy for chronic obstructive pulmonary disease. *Int J Chron Obstruct Pulmon Dis* 2014;9:239-46.
 12. Zajac J, Bojar I, Helbin J, et al. Salt caves as simulation of natural environment and significance of halotherapy. *Ann Agric Environ Med* 2014;21:124-7.
 13. Sejbuk M, Mirończuk-Chodakowska I, Witkowska AM. Sleep quality: a narrative review on nutrition, stimulants, and physical activity as important factors. *Nutrients* 2022;14:1912.
 14. Alexopoulos A, Chrousos GP. Stress-related skin disorders. *Rev Endocr Metab Disord* 2016;17:295-304.
 15. Rousset L, Halioua B. Stress and psoriasis. *Int J Dermatol* 2018;57:1165-72.
 16. Barnthouse M, Jones BL. The impact of environmental chronic and toxic stress on asthma. *Clin Rev Allergy Immunol* 2019; 57:427-38.
 17. Rosenberg SL, Miller GE, Brehm JM, Celedón JC. Stress and asthma: novel insights on genetic, epigenetic, and immunologic mechanisms. *J Allergy Clin Immunol* 2014;134:1009-15.
 18. Zhang C, Zhu W, Meng Q, et al. Halotherapy relieves chronic obstructive pulmonary disease by alleviating NLRP3 inflammasome-mediated pyroptosis. *Ann Transl Med* 2022;10:1279.
 19. Chervinskaya AV, Kotenko KV. Efficiency of controlled halotherapy in rehabilitation of patients with occupational lung diseases. *Med Tr Prom Ekol* 2016;11:38-40.
 20. Farkhutdinov UR, Abdrakhmanova LM, Farkhutdinov RR. Effects of halotherapy on free radical oxidation in patients with chronic bronchitis. *Klin Med (Mosk)* 2000;78:37-40.